

MINIMUM EFFORT MAXIMUM PERFORMANCE

SK300 Automatic Shaker

SK300 is a high-performance, entry-level shaker. It combines optimum efficiency with great value for money. With its capacity of 35 Kg, it is suitable for all points of sales with a low to medium volume paint turnover.



High performance

Robust chassis and running gear guarantee optimal shaking for upto 20 litre cans at a high speed of 680 shakes per minute

Space saver

Internal sliding door assure minimum footprint

• Easy mixing adjustments

3 pre-set timers with a simple control panel for easy adjustment of mixing times

Automatic clamping

Differential and adjustable auto clamping

ß

Easy maintenance

Removable panels and adjustable auto clamping provide hassle-free maintenance



Rich in aesthetics

Aesthetically rich and complements our dispensers

SK300 Shaker in the spotlight

Specifications and Technical Data



- Medium volume paint turnover
- Suitable for architectural paints



Can specifications

- Maximum product weight of 35 Kg
- Minimum height of 60 mm
- Maximum height of 450 mm
- Plate diameter of 350 mm
- Suitable for oval cans
- Multi-can shaking possible



Footprint

- Net HWD: 121.5 x 60 x 72 cm
- Net Weight: 180 Kg



Clamping

• Differential and adjustable auto clamping





Usage

- Machine access
 - > Internal sliding door
 - > Entry support roller
- 3 buttons, pre-set times
- Speed: up to 680 shakes per minute
- LCD display with countdown timers





Service

- Removable panels
- Wheels for easy movement and adjustable feet for leveling



Power supply and safety

- 230V-50 Hz 10 amp
- 1 HP single phase motor
- Power switch at the side



Optional accessories

- Slide out can shelf for easy loading and unloading
- Stand that lifts loading height to 500 mm
- Roller Conveyor that links to slide out shelf





Safety Features

- Voltage adjustment at order
- Safety switch on sliding doors
- Easily accessible E-stop switch

A hassle-free and affordable shaker





Stay connected with us









For more information, scan the QR code and get in touch:

