

TI ELEMENT²

Compact, simple, and reliable tinting at the **LOWEST TCO**

Ideal for: Low-volume daily tinting operations

KEY BENEFITS



SMALL & SIMPLE

Easy to assemble and operate, compact design allows maximum 90 units to fit in a 40ft container



ACCURATE & REPEATABLE TINTING

Precisely dispenses down to 0.050ml (1/512th of a shot), every time



SHORTER DISPENSE CYCLE TIME

Bi-directional turntable and faster dispense speed cut down cycle time, enabling quicker order fulfillment



LARGER DISPENSE BAY

Accommodates cans up to 47cm in height



ULTIMATE RELIABILITY

Proven piston pump and AutoDrive[™] technology to eliminate mistints and keep the dispenser always ready for action



ULTRA LOW MAINTENANCE

The ZeroPurge[™] piston pump, magnetic clamp brush, easier canister click 'n release system and manually movable turntable make maintenance minimal and easy



Seamless integration with Tintelligence apps suite for more intuitive dispensing, real-time updates, remote fleet management and quick service resolution

TECHNICAL SPECIFICATIONS

| | Canisters | up to 24 |
|--------------------------|-----------------------------|--|
| CANISTER | Canister configuration | Multiple (1.3L and 2.3L sizes available) |
| | Canister Type | Water, Universal, Solvent |
| TURNTABLE | Turntable type | Bi-directional |
| | Max Speed | 330 ml/min (11 oz/min) |
| | Refill position | Front |
| | Filling height (cm) | 120 |
| PUMP | Pump type | ZeroPurge™ Piston Pump |
| | Min. Dispense | 0.050 ml (1/512th of a shot) |
| | Valve type | Stainless steel ball valve |
| | Pump size | 31 ml |
| | Pump seal material | Viton Extreme |
| | Calibration | One-time calibration. Lasts machine lifetime |
| MACHINE | Dimensions (HxWxD) | 124 x 72 x 85 cm |
| | Weight | 49 kg for 16 canister configuration |
| | Enclosure | Plastic |
| CAN TABLE | Dispense tray | Manual |
| | Maximum can height | 47 cm |
| | Optical can sensor | Yes |
| BRUSH | Brush type | Magnetic click with sensor |
| | Brush container material | POM |
| PACKAGING & TRANSPORT | Dimensions (HxWxD) | 110 x 76 x 96 cm |
| | Assembly needed | Yes |
| | Max units in 40ft container | 90 |
| | Max units in 20ft container | 42 |
| | Weight | 67 kg for 16 canister configuration |
| ACCESSORIES | Drip plate | Optional |
| | Top cover | Optional |
| | Monitor keyboard arm | Optional |
| | | |
| | Branded wrap | Optional |



SOFTWARE

Flexible software options to best meet your business needs

(1) ColorPro/PrismaPro: TI ELEMENT 2 is compatible with our existing dispensing software

(2) **Tintelligence:** From a simple dispensing solution to a full suite of advanced digital applications, choose the package that best suits your needs.

• **Basic:** Simple, more intuitive desktop dispensing solution for faster order fulfillment



• Fleet Management: Real-time, remote fleet monitoring and analytics for faster, data-driven decisions



• **Color Management:** Fleet dispense database management and dispensing solution for always up-to-date formula books



• **Full Suite:** Comprehensive fleet and color management solution



SERVICE & SUPPORT

Our customer commitment continues long after the sale with:

- Extensive self-serviceability features with manuals for guidance
- Quick installation and training
- Robust Service Network
- Factory technicians for technical support



The Trusted IDEX Dispensing Group

Fluid Mana



MINIMIZE YOUR TCO LIKE NEVER BEFORE WITH TI ELEMENT 2

- Simple operations requires minimal training and support
- Self-serviceable machine, requiring very few service visits
- Easily transportable and fits in any small-medium store
- Eliminate colorant wastage and mistints
- Easily manage peak hours and large can orders
- ✓ Keep spare inventory low with common parts

Elevate your daily tinting operations with **TI ELEMENT 2** and experience new levels of performance and efficiency.

Contact us to learn more!



