

FAST & FLUID

A Unit of IDEX Corporation

THE ULTIMATE TINTING MACHINE

X-PROTINT XL Automatic Dispenser

Want to expand your color portfolio? Then, switch to X-PROTINT XL – the ultimate tinting machine. This automatic sequential dispenser, ideal for universal, solvent, and water-based colorants can handle peak volumes with reliable performance. X-PROTINT XL delivers incredible reproducible tinting output making itself a valuable investment for you to scale operations.



Simple operations

Easy to install, operate, and service – do away with operational training



Mobile Tinting

Easy control powered by PrismaPro2 software and compatible with mobile dispensing app PrismaRT



Ready-to-use

No assembly is required. Unpack and press it into use straightaway



Proven Technology

Built on proven piston pump and AutoDrive™ technologies for ultimate reliability



Compact size

Minimizes transport costs and can fit into any small or mid-level size outlet



Uninterrupted power backup

Day-long power backup through UPS and built-in protection against power surges

X-PROTINT XL in the spotlight

Specifications & Technical Data



General

- Automatic sequential
- Universal and water-based colorants
- Bi-directional turntable



Canister

- Patented optimal stirrer design
- Up to 32 canisters
- Flexibility to choose your preferred canister configuration



24 Canisters Variant-
Max 9x1,3 L + 12x2,3 L + 3x4,6 L



32 Canisters Variant-
Max 16x1,3 L + 16x2,3 L



Nozzle


- Airtight, integrated nozzle closures
- Nozzle cleaning system with passive brush



UPS specifications

- Load capacity of 660Watts/1100VA
- Single output
- Surge protection
- Average 50 dispensers* per day

* Only dispenser to be connected over UPS and mobile tinting, no other load on UPS



Pump

- Piston pump
- 43 ml piston pump
- Flow rate 0.5 l/min
- 0.007 ml smallest dispense



Can table

- Manual can shelf
- Optical can sensor
- Loading height 25 cm





Dimension and weight

- Net HWD - 123x82x87 cm
- Net weight 135 kg (24C) / 139 kg (32C)



Maintenance and operations

- Low level (only purge and brush clean)
- Ease of use
- Minimal operator training
- Robust design
- Dust and rodent proof
- Flood resistant up to 40 cm
- Low TCO



Software

- Easy to use desktop application PrimsaPro2
- Local language compatible
- PrismaRT mobile app compatible



Power supply

- 110V/230V +/- 10%, 50Hz/60Hz



Inbuilt Safety Features

X-PROTINT XL automatically reduces the turntable speed when the door is open ensuring operator safety

So, what are you waiting for?

Get in touch today for a brighter tomorrow



A Unit of IDEX Corporation

Stay connected with us



For more information,
scan the QR code and
get in touch:

