

EXPERIENCE THE SMARTEST WAY OF DISPENSING WITH **X-SMART XL**

Derived from our X-SERIES platform, the X-SMART XL is designed for simplicity in installation, operation, and service. Ensure consistent trouble-free tinting and expand your market – explore new POS channels and opportunities. Available in your choice of decorative and solvent canister configuration with up to 32 canisters – its compact size can fit into any small or mid-level size outlet. The compact packaging minimizes transport costs and can be assembled in minutes. The innovative modular design makes the X-SMART XL easy and cost-effective to maintain.



Simple and reliable

A trouble-free tinting solution that is affordable and easy to operate



Easy logistics

Small enough to fit into any outlet, it is easy to assemble and minimizes transport costs



2x faster

High speed and accurate performance with proven piston pump technology



Low maintenance

Purge and brush clean along with minimal operator training reduces total cost of ownership



Flexibility

Freedom to choose preferred decorative and solvent canister configuration



Future-ready

Compatible with Prisma-RT mobile app for remote and efficient tinting

X-SMART XL in the spotlight

Specifications and Technical Data



General

- Automatic sequential water-based, universal solvent-based (optional)
- Bi-directional turntable



Canister

- Upto 32 canisters Material: Polymeric (POM) Size: 16 x 2.3 L + 16 x 1.3 L
- Click-on-click-off
- Patented optimal stirrer design



Can table

- Manual can shelf
- Dimensions: 38 x 31 cm (W x D)
- Can loading height: 26 cm
- Max. can height: 48 cm
- Optical can sensor



Nozzle

- Airtight - Integrated nozzle closures
- Nozzle cleaning system: passive brush



Pump

- Piston pump Size: 43 ml
- Flow rate: 0.5 L/min
- Min. dispense: 0.077 ml (1/384 fl.oz.)
- Nozzle diameter: 4 mm
- Polymeric needle valve
- Seals material: Viton, Viton Extreme
- Calibration: 1st machine only.
- Subsequent machines copied calibration files. Calibration lasts machine lifetime





Dimension and weight

- Net HWD - 123 x 83 x 95 cm
- Net weight 73 Kg (32C),
70 Kg (28C) / 65Kg (20C)
- Filling height: 120 cm



Maintenance and operations

- Low level (only purge and brush clean) Low TCO
- Ease of use
- Minimal operator training Visual LED error indicator



Software

- PrismaPro easy to use local language compatible
- Prisma-RT mobile app compatible



Power supply

- 110V/230V +/- 10%, 50Hz/60Hz



Experience the smartest way of dispensing



A Unit of IDEX Corporation

For more information,
scan the QR code and
get in touch:



Stay connected with us

